

bosch maxx 5 washer dryer manual



File Name: bosch maxx 5 washer dryer manual.pdf

Size: 2126 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 10 May 2019, 13:49 PM

Rating: 4.6/5 from 641 votes.

Status: AVAILABLE

Last checked: 10 Minutes ago!

In order to read or download bosch maxx 5 washer dryer manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bosch maxx 5 washer dryer manual . To get started finding bosch maxx 5 washer dryer manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

bosch maxx 5 washer dryer manual

All utilised packaging materials are ecologically harmless and recyclable. Please contribute to a better environment by disposing of packaging materials in an environmentally conscious manner.

Hints and tips Using your washer dryer in an efficient and environmentally friendly manner

- q Take advantage of recommended load quantity. Do not leave children unsupervised near the washer dryer.
- Dispenser II Detergent for main wash, soaking agent, water softener, bleach or stain remover.
- Dispenser 2 Additives, e.g. fabric softener or former do not fill above the lower edge of the insert 1.

A rinse cycle is automatically run. Increases in time occur because of additional rinse cycle if excessive foam is in the laundry, multiple spinning if the laundry is distributed poorly in the drum, increased heating times, e.g. when the water is too cold, water pressure too low, selection of an additional option, e.g. To remove any water left over from testing procedures, the first washing cycle should be carried out without laundry in the machine. Overdrying may cause excessive creasing. First dab with a soapy solution. Do not rub. Then select the appropriate programme and wash the item. Only wash laundry that is labelled with the Sorting laundry according to the instructions on the. Loading the laundry Items of clothing that have been pretreated with solvent based cleaning agents, e.g. stain remover and dry cleaning spirit, represent an explosion hazard once loaded into the washer dryer. Before loading the laundry, rinse thoroughly by hand. Attention Foreign objects in the drum may damage the laundry. Dosing detergent Keep detergents and additives out of the reach of children. Dose detergent according to q the water hardness. You can find out the water hardness from your water utility company. Dispenser 2 Cleaning product, e.g. fabric softener or fabric conditioner do not fill above the lower edge of the insert

1. <http://eg-steel.com/userfiles/como-hacer-un-manual-de-identidad-de-marca.xml>

- **bosch maxx 5 washer dryer manual, bosch maxx 5 washer dryer manual download, bosch maxx 5 washer dryer manual instructions, bosch maxx 5 washer dryer manual review, bosch maxx 5 washer dryer manual free.**

Programme i Programmes wash lightly soiled textiles in the selector shortest possible time. For heavily soiled textiles reduce the load or touch the Intensive button. Reduced spin speed. Maximum load 1.5 kg. You can select automatic drying or time controlled drying by touching the Dry Y button. Automatic drying During drying, the temperature sensor determines the residual moisture. Set the drying time using the Dry Y button. If a drying process is interrupted, please select this programme to cool the laundry before opening the loading door. Touch the Extra Rinse K button for desired additional rinse cycles. Reduced spin speed. Spin B Spin cycle after a programme with setting "" without final spin or for spinning hand washed washing with selection of the required speed. Touch the button in addition to the programme for the following combinations of load and degree of soiling Amount of Programme and Degree of. The programme duration, additional rinse cycles and other parameters showed in display will be changed accordingly. While the programme is running, the programme duration counts down and the progress bar fills up with the segments. The drying symbol appears. In the cooling down phase, the fan symbol appears. The steps for changing the settings are described in detail overleaf. Overview at a glance Turn on the tap, load the laundry and close the loading door. Add correct amount of detergent, additives. Washing q Keep touching the temperature button Temp. You can change the default spin speed. Spin speed q Touch the B Spin button until desired spin speed displays. The programme duration of the newly selected programme appears in the display. The finish in time must be reselected see also chapter Changing the programme, page 37 and Cancelling the programme, page

37. <http://gabortech.com/admin/como-hacer-un-manual-de-identidad-corporativa-pdf.xml>

If the childproof lock has been selected no changes can be made while the programme is running, the symbol G flashes if a programme setting is inadvertently changed, should the appliance be switched off and on while a programme is running, the programme will. If required, change other settings. If you would like to pause a running programme without Pausing the changing the sequence programme. At the end of the additional programme q If required, deactivate the childproof lock. Soaking q Pour soaking agent into dispenser II according to the manufacturers instructions. The programme starts. Attention Washing in subsequent wash cycles may become discoloured. First, always disconnect the appliance from the power supply. Never clean the appliance with a water jet. Risk of explosion! Never clean the appliance with solvents. As required Clean housing, q Use hot soapy water or a mild, non abrasive fascia and supply cleaning agent. The pump is blocked by either pump loose debris or fluff which accumulates if fluff giving fabrics are washed. Drain the water Up to 20 litres. Have a suitable container ready. Risk of scalding! Allow the hot water to cool down beforehand. Provided that you use the correct amount of detergent, it is not necessary to descale the washer dryer. If descaling is nevertheless required, please follow the instructions supplied by the manufacturer of the descaling agent. Wait for 2 minutes. Clean and dry the detergent Detergent residue in the Damp or lumpy detergent. Pumped blocked by foreign objects. Clean the pump refer to page 45. Washing solution is not completely drained. A technician who is called out to give advice will charge you, even if the appliance is still under guarantee. You can find your nearest customer service in the enclosed address list. Safety instructions The washer dryer is heavy. Take care when lifting it. Do not install the washer dryer in an area where there is a risk of frost or outdoors.

For this purpose, a recess width of 60 cm is required. Connecting the To prevent leaks or water damage, it is essential to water follow the instructions in this chapter. Water inlet hose Attention Operate the washer dryer with cold drinking water only. Do not connect to the mixer tap of an unpressurised hot water apparatus. Height difference between the placement area and drainage point maximum 100 cm. Drainage into a wash basin Attention The plug must not block the drain of the wash basin. The mains voltage must correspond to the voltage specification on the washer dryer nameplate. Connection specifications as well as the required fuses are stipulated on the appliance nameplate. With time delay and time remaining indicator ensures you will be in total control of your washing. All we would like to do is be able to put damp clothes in and manually set the time for them to dry for a certain time. Manual page number 28. How can I get it to wash for me. My guess is that it's a relay failure. Please advise as a new control board is 200 plus fitting and the machine is only 5 years old having completed only about 1000 cycles. Thanks When I first had it you could see the suds in the drum while the washing was being done. However, recently I cannot see any soap suds in the drum while the washing is being done. Can anyone tell me why this is and what I can do to remedy this problem. Symbol still doesn't disappear. Powered by WordPress.org, Opravy rucniho naradi Smecno. Send a Houzz Gift Card. Its a Bosch WAS2016UC. I downloaded the manual from Bosch but still cant figure it out. Does anyone know where is for what I think the middle one is for fabric softener. Also, can you use liquid bleach. And, if so, where does that go In my search for this information Ive been really horrified to read about all the negatives experiences with this washer due to mold and smell. I am really hoping for the best here. Im kind of at my wits end. Thanks to all for any info.

<http://www.drupalitalia.org/node/71849>

Or only powdered bleach in the II compartment Have a lovely, clean, holiday. The other one has a couple of comments. See More Kitchen layout Advice please Q Comments 25 I think my title is misleading. Im asking for help as far as the layout of appliances and cupboards. We do not want to move walls. I could then have room for a cooktop on that sink wall. Is this a good idea. The sink and

window would therefore not be centered in the kitchen, would this matter. If I move the sink and window to accommodate a cooktop on that counterspace. It seems like it'd be cumbersome to have it opposite the sink with the island in between. If it stays on that short back wall, is it too far from the sink, if I move the sink down and where is the best spot for a wall oven. This is what my family has come to expect, as we are not a formal family. The dining room is too small for all of us so we set up extra tables in the foyer and it's kinda fun and cozy. I imagine our new house to be similar, except my island will be much bigger and I'm excited about that. On a daily basis, just my husband and I don't need seating on the long end of the island. Q Comments 3 By the way, we should have a whole forum devoted to what to say to people who ask about how our renovations are going!. See More Bad design that makes you utter WHY. Q Comments 252 Haha, Jan, you are once again right on the money. I can't remember the last time I had the need to use a straw to drink anything. I grew up thinking that straws were for children who couldn't drink from a cup. Why adults need them is beyond me. And yes, in just under 2 months, the state of NY will join Suffolk County in banning those miserable thin plastic grocery bags, and I say good riddance to them. I've been bringing my own reusable bags for quite a while now, and it is much better. It always kills me to see the cashier try to pack a ginormous laundry detergent container or 6-pack of soda in a thin plastic bag, which will break as soon as you pick it up!.

<https://www.agence-immotech.com/images/canon-pixma-ip8500-instruction-manual.pdf>

See More Terry Nostrebor 4 years ago I signed up just to comment on this question, which I also faced as someone renting an apartment with this washer installed. Where is this How do I do this Oh, I guess I'm just supposed to figure it out via trial and error. Also, don't use cheap fabric softener and then as little as possible. Do believe Ecover is plant based. I picked it up on the fly at the health food because the fragrance was OK. Pinky, I'd love you to try it and get your opinion. Will send you some. I think it gives great results. It's my new first choice. This video was actually pretty helpful it's an 8 minute demo on both the Bosch Axxis washer and dryer I actually thought you put the washing liquid in the right compartment, not the left despite daddoes comment, so the video was great to watch and get clarification. Thanks all, and thanks to mskathyny for the question clearly not a dumb one after all! Helps prevent detergent residue build up. Best to check the instruction manual to confirm which. Majority of manufacturers have them available at their web site via model number search. I let it run with no clothes and let it mix with the water for about 20 seconds and then add clothes. If so, does pod go in the far left compartment. Thumbs down and no thank you I just bought a second hand Bosch Maxx from my sister and is my first front loader. I agree with Terry re symbols instead of words to show what to do. Nuts! So it goes, Prewash, main wash and Bleach. What detergents are prewash. I pour softener in the 3rd compartment as it goes straight into the washer. Usually don't bother with the middle or II compartment. Any specific help. I also pour bleach in the 3rd compartment or mix with the 1st compartment. I Use MELLALUCA products and love them. Post your question here in this forum. We're committed to dealing with such abuse according to the laws in your country of residence. When you submit a report, we'll investigate it and take the appropriate action.

<https://www.fvsspa.com/images/canon-pixma-ip6220d-manual.pdf>

We'll get back to you only if we require additional details or have more information to share. Note that email addresses and full names are not considered private information. Please mention this; Therefore, avoid filling in personal details. Please enter your email address. Bosch Maxx 5 washing machine will not wash. When start button pressed takes in small amount of water and then stops. Drum does not spin. Andy Bosch maxx 5 washing machine. Hey there, welcome to Fixya. The above answers were pretty helpful, did you fix your problem with them. Did you check the manual for further. You can find a PDF copy here Bosch Classixx 5 Manual Answer questions, earn points and help others. Most of us tend to glance through the manual when we first get our spanking new

machine and experiment a little with the settings, then end up picking a couple of settings to stick with forevermore. All the different buttons, symbols and timings might seem daunting, but it's worthwhile to know how to make the most out of your washer dryer to save you time, energy, money and also, wouldn't you want to take the best care of your clothes? You can also use this function to wash out stains, just be sure to first try removing the stain while it's fresh by dabbing it with a bit of soap water before popping it in the wash. It pretty much guarantees that you'll never have to wash any laundry by hand ever again. To keep things simple, here are 5 easy to remember categories:

- Cottons Standard washing programme for textiles made of cotton or linen
- EasyCare For textiles made of synthetic materials or blended fabrics
- Mixed Load For washing natural and synthetic textiles together in a single load
- HygieneCare Pretreat dry laundry by hot air followed by a low temperature washing cycle to achieve the most hygienic wash results for nondelicate fabrics.
- Drum Clean To maintain the hygiene of the washer drum and remove residual lint.

Materials such as wool or silk may be on the nono list, but it's good to check the labels and make a mental note of items that can't go in the dryer. There are two different types of drying programmes: Gentle and Intensive, so pick the one that suits your needs. Regular cotton items or lighter clothing would be more appropriate for a Gentle Dry, while towels and sheets would be better suited for Intensive Dry. Now that you know all that your washer dryer can do, I bet you can't wait to try out a new setting with your next load of laundry! As a general rule of thumb, always follow the temperature and wash programme selection instructions on the care label to keep your clothes in tiptop condition. A dishwasher washes dishes and utensils both quickly and precisely, giving you the luxury of relaxing at home without having to worry about washing up after your meals. The best way to reduce water and energy usage is to simply learn how to operate home appliances such as your washing machine in a resource-efficient way. Here are 4 easy steps to get you started. For the Sonic Youth album, see Washing Machine album. The term is mostly applied to machines that use water as opposed to dry cleaning which uses alternative cleaning fluids and is performed by specialist businesses or ultrasonic cleaners. The user adds laundry detergent, which is sold in liquid or powder form, to the wash water. That made the warm soapy water precious; it would be reused, first to wash the least soiled clothing, then to wash progressively dirtier laundry. First, soap would be rinsed out with clear water. After rinsing, the soaking wet clothing would be formed into a roll and twisted by hand to extract water. The entire process often occupied an entire day of hard work, plus drying and ironing. Basically, these early design patents consisted of a drum washer that was handcranked to make the wooden drums rotate. Because of the Patent Office fire in 1836, no description of the device survives.

webscape.co.bw/wp-content/plugins/formcraft/file-upload/server/content/files/1626c34591518b---cannondale-opi-adjustable-stem-manual.pdf

However, high unemployment rates in the Depression years reduced sales; by 1932 the number of units shipped was down to about 600,000. Patrons used coin-in-the-slot facilities to rent washing machines. The mechanism was now enclosed within a cabinet, and more attention was paid to electrical and mechanical safety. In appearance and mechanical detail, this first machine was not unlike the front-loading automatic washers produced today. Because of the components required, the machine was also very expensive. For instance, the Bendix Home Laundry Service Manual published November 1, 1946 shows that the drum speed change was facilitated by a 2-speed gearbox built to a heavy-duty standard not unlike a car automatic gearbox, albeit at a smaller size. The timer was also probably fairly costly, because miniature electric motors were expensive to produce. Later, permanent connections to both the hot and cold water supplies became the norm, as dedicated laundry water hookups became common. You may improve this article, discuss the issue on the talk page, or create a new article, as appropriate. September 2016 Learn how and when to remove this template message However, numerous US appliance manufacturers were given permission to

undertake the research and development of washers during the war years. General Electric also introduced its first top loading automatic model in 1947. This machine had many of the features that are incorporated into modern machines. Another early form of automatic washing machine manufactured by The Hoover Company used cartridges to program different wash cycles. The cartridge was inserted into a slot on the machine and a mechanical reader operated the machine accordingly. Electromechanical timers consist of a series of cams on a common shaft driven by a small electric motor via a reduction gearbox.

At the appropriate time in the wash cycle, each cam actuates a switch to engage or disengage a particular part of the machinery for example, the drain pump motor. One of the first was invented in 1957 by Winston L. Shelton and Gresham N. Jennings, then both General Electric engineers. However, by the 1950s demand for greater flexibility in the wash cycle led to the introduction of more sophisticated electrical timers to supplement the electromechanical timer. These newer timers enabled greater variation in functions such as the wash time. With this arrangement, the electric timer motor is periodically switched off to permit the clothing to soak, and is only reenergized just prior to a microswitch being engaged or disengaged for the next stage of the process. Fully electronic timers did not become widespread until decades later. This was largely because of the economic impact of World War II on the consumer market, which did not properly recover until the late 1950s. The early electric washers were singletub, wringertype machines, as fully automatic washing machines were extremely expensive. During the 1960s, twin tub machines briefly became very popular, helped by the low price of the Rolls Razor washers. Some machines had the ability to pump used wash water into a separate tub for temporary storage, and to later pump it back for reuse. This was done not to save water or soap, but because heated water was expensive and timeconsuming to produce. Automatic washing machines did not become dominant in the UK until well into the 1970s and by then were almost exclusively of the frontloader design. However, since the 1970s electronic control of motor speed has become a common feature on the more expensive models. For instance, expensive gearboxes are no longer required, since motor speed can be controlled electronically.

This makes changing the main bearings difficult, as the plastic drum usually cannot be separated into two halves to enable the inner drum to be removed to gain access to the bearing. It was invented by LG Electronics in 1998 and patents were granted in the US in 2010. Since, other manufacturers have followed suit. Some washing machines with this type of motor now come with 10 warranties. The direct drive motors rotor is outside the stator as this provides a slim motor with speed reduction and torque multiplication. The rotor is connected to the inner tub through its center. It can be made out of metal or plastic. Some US companies are working on developing new spin technology to wash clothes faster and more efficiently. Lightning Clean is one of these companies. They are producing the first 10minute washing machine. For example LGs approach involves a phone receiving signals through sound tones, while Samsungs approach involves having the user take a photo of the washers time display with his or her phone. This started a laundry revolution Canada. As Canadians started to buy front load washers vs top load. These proved reliable and costeffective, so many cheaper machines now also incorporate microcontrollers rather than electromechanical timers. The hexagonal tub spins like a frontloading machine, using only about one third as much water as conventional toploaders. This factor has led to an Energy Star rating for its high efficiency. This washing machine uses a computercontrolled system to determine certain factors such as load size and automatically adjusts the wash cycle to match. The SmartDrive also included direct drive brushless DC electric motor, which simplified the bowl and agitator drive by doing away with the need for a gearbox system. It was claimed that this design reduced the wash time and produced cleaner washing than a single cylinder machine.

In 2004 there was the launch of the CR02, which was the first washing machine to gain the British

Allergy Foundation Seal of Approval. However, neither of the ContraRotator machines are now in production as they were too expensive to manufacture. A washplate in the bottom of the tub nutated a special wobbling motion to bounce, shake, and toss the laundry around. Simultaneously, water containing detergent was sprayed on to the laundry. The machine proved to be good at cleaning, but gained a bad reputation due to frequent breakdowns and destruction of laundry. Instead of an agitator, the machine had two washplates, perpendicular to each other and at a 45 degree angle from the bottom of the tub. Samsung claims this technique reduces cycle times by half and energy consumption by 20%. The pans on the inside of the lid are placed atop the agitator, and wash water is pumped through the perforated pans to collect lint. California This design places the clothes in a vertically mounted perforated basket that is contained within a waterretaining tub, with a finned waterpumping agitator in the center of the bottom of the basket. Clothes are loaded through the top of the machine, which is usually but not always covered with a hinged door. The movement of the agitator pushes water outward between the paddles towards the edge of the tub. The water then moves outward, up the sides of the basket, towards the center, and then down towards the agitator to repeat the process, in a circulation pattern similar to the shape of a torus. The agitator direction is periodically reversed, because continuous motion in one direction would just lead to the water spinning around the basket with the agitator rather than the water being pumped in the torusshaped motion. Some washers supplement the waterpumping action of the agitator with a large rotating screw on the shaft above the agitator, to help move water downwards in the center of the basket.

Manufacturers have devised several ways to control the motion of the agitator during wash and rinse separately from the high speed rotation of the drum required for the spin cycle. The action of a frontloading washing machine is better suited to a motor capable of reversing direction with every reversal of the wash basket; a universal motor is noisier, less efficient, doesn't last as long, but is better suited to the task of reversing direction every few seconds. The impeller design has the advantage of its mechanical simplicity a single speed motor with belt drive is all that is required to drive the Pulsator with no need for gearboxes or complex electrical controls, but has the disadvantage of lower load capacity in relation to tub size. Hoovermatic machines were made mostly in twin tub format for the European market where they competed with Hotpoint's Supermatic line which used the oscillating agitator design until the early 1990s. Some industrial garment testing machines still use the Hoover wash action. Similarly, if the pump motor rotates one way it recirculates the sudsy water; in the other direction it pumps water from the machine during the spin cycle. Mechanically, this system is very simple. During agitation, the transmission converts the rotation into the alternating motion driving the agitator. During the spin cycle, the timer turns on a solenoid which engages a clutch locking the motor's rotation to the wash basket, providing a spin cycle. General Electric's very popular line of FilterFlo seen to the right used a variant of this design where the motor reversed only to pump water out of the machine. In the Whirlpool mechanism, a protruding moving piece oscillates in time with the agitation motion. Two solenoids are mounted to this protruding moving piece, with wires attaching them to the timer.

Despite the wires controlling the solenoids being subject to abrasion and broken connections due to their constant motion and the solenoids operating in a damp environment where corrosion could damage them, these machines were surprisingly reliable. The motor reverses direction every few seconds, often with a pause between direction changes, to perform the agitation. Spin cycle is accomplished by engaging a clutch in the transmission. A separate motorized pump is generally used to drain this style of machine. These machines could easily be implemented with universal motors or more modern DC brushless motors, but older ones tend to use a capacitorstart induction motor with a pause between reversals of agitation. Fabric softener, vinegar, or any other liquid rinse agent, is placed in a cup at the top of the agitator. When the spin cycle is engaged, the fabric softener is pulled up by a tapered cup and centrifugal force, where it collects in the top of the spinning agitator. Once the spin cycle is completed, centrifugal force no longer suspends the fabric softener and it falls

through the center of the agitator to join the rinse water coming into the tub. The same objective must be accomplished by a solenoid valve or a pump, and associated timer controls and wiring, on a front loader. Frontloaders tend to require separate pumps and plumbing to provide lint filters which are often mounted behind covers on the bottom of the machine. Although wet fabric usually fits into a smaller space than dry fabric, a dense wad of fabric can restrict water circulation, resulting in poor soap distribution and incomplete rinsing. Extreme overloading can also push fabrics into the small gap between the underside of the agitator and the bottom of the wash basket, resulting in fabrics wrapped around the agitator shaft, possibly requiring agitator removal to unjam. In addition, most commercial and industrial clothes washers around the world are of the horizontal axis design.

The door often but not always contains a transparent window. Agitation is supplied by the backandforth rotation of the cylinder and by gravity. The clothes are lifted up by paddles on the inside wall of the drum and then dropped. This motion flexes the weave of the fabric and forces water and detergent solution through the clothes load. Because the wash action does not require the clothing be freely suspended in water, only enough water is needed to moisten the fabric. Because less water is required, frontloaders typically use less soap, and the repeated dropping and folding action of the tumbling can easily produce large amounts of foam or suds. A frontloader washer always fills to the same low water level, but a large pile of dry clothing standing in water will soak up the moisture, causing the water level to drop. The washer then refills to maintain the original water level. Because it takes time for this water absorption to occur with a motionless pile of fabric, nearly all frontloaders begin the washing process by slowly tumbling the clothing under the stream of water entering and filling the drum, to rapidly saturate the clothes with water. But frontload washers suffer from their own technical problems, due to the drum lying sideways. For example, a top loading washer keeps water inside the tub merely through the force of gravity pulling down on the water, while a frontloader must tightly seal the door shut with a gasket to prevent water dripping onto the floor during the wash cycle. This access door is locked shut during the entire wash cycle, since opening the door with the machine in use could result in water gushing out onto the floor. For frontloaders without viewing windows on the door, it is possible to accidentally pinch fabric between the door and the drum, resulting in tearing and damage to the pinched clothing during tumbling and spinning.

<http://www.drupalitalia.org/node/71851>